







Welcome to the new world of DIGITAL Ceramic Wall, Floor & Vitrified Tiles from the SILVENTA. The characteristic of any product Tiles is implied by its marvelous craftsmanship and chic visual appeal. At SILVENTA, achieve excellent aesthetic designs in amalgamation with advanced DIGITAL Printing technology. With this advanced technique, CERAMIC Tiles can now be made virtually with any type of photo-quality image or design on a plain or textured surface of your choice.

Moreover, the germ-free technology in this Tile lends an eco-friendly aspect to your space. SILVENTA CERAMIC comes with a complete innovative DIGITAL Tiles collection that is, MARBLE, ELEVATION, etc. Specially designed & imported from Italy and Spain, to deliver the real zest of Italian marble and elevation stones in India that will be available in the market in sizes 300x600mm, 300x450mm & more.

SILVENTA DIGITAL Tiles are now available on display at any of our business partner exhibit centers.



TECHNICAL FEATURES



EASY TO CLEAN



STAIN RESISTANT



SCRATCH RESISTANT



EASY TO MAINTAIN



UV RESISTANT



WATERPROOF



RESISTANT TO CHEMICALS



RESISTANT TO ACIDS



FROST RESISTANT



ANTI-MICROBIAL



HEAT RESISTANT



FIRE RESISTANT



NON-SLIP



DIMENSIONAL STABILITY



ECOLOGICAL



3D EFFECT







3502 ELV

WALL TILE

300x600mm


ELEVATION - SERIES GLOSSY - FINISH

3501 ELV





www.silventaceramic.com







WALL TILE

300x600mm

ELEVATION - SERIES HARD MATT - FINISH

3601



3602

www.silventaceramic.com







3609



3611







3606 3607



3636



3637

www.silventaceramic.com

WALL TILE

300x600mm

ELEVATION - SERIES HARD MATT - FINISH



3638 3



3640



3641



3643



3639



3642





3801 3814





WALL TILE

300x600mm

ELEVATION - SERIES SATIN MATT - FINISH








3804

www.silventaceramic.com







WALL TILE


300x600mm

ELEVATION - SERIES SATIN MATT - FINISH

3810



www.silventaceramic.com



TECHNICAL SPECIFICATION

Characteristics	Euro Standards EN - 159 / IS 13753	SILVENTA VALUE	
DIMENSION & SURFACE QUALITY			
Dimension	± 0.5%	± 0.2%	
Deviation in Thickness	± 0.6 mm	± 0.2 mm	
Straightness of sides	± 0.3%	± 0.2%	
Rectangularity	± 0.5%	± 0.3%	
Surface Flatness	± 0.5%	± 0.3%	
Surface Quality	Min. 95%	Min. 96%	
PHYSICAL PROPERTIES Water Absorption	> 10%	13.5%	
Bending Strength	> 150 kg/cm2	200 - 250 kg/cm2	
Scratch hardness (Mohs)	Min. 3	Min. 3	
Crazing	1 Cycle	No Crazing at 5 Cycles	
CHEMICAL PROPERTIES			
Staining Resistance	Min. Class 2	Resistance to all Acids —— And Alkalies & Household Chemicals except Hydro Flouric Acid	
Household Chemical	Min. Class B		
THERMAL PROPERTIES			
Thermal Shock	Resistant to 10 Cycles	CONFORMS	
Thermal Expansion	Max. 9E -06	CONFORMS	

Our Conformity to the above standard is applicable only for premium quality $% \left(\frac{1}{2}\right) =\left(\frac{1}{2}\right) \left(\frac{1}{2}\right) \left($

PACKING DETAIL

Size	Thickness (Approx.)	Tiles Per Box	Coverage Area Per Box	Wt. of Box (Approx.)
300x600mm	8.7 mm	5 pcs.	0.90 sq. mtr.	14 kg.
300x300mm(Floor)	8 mm	8 pcs.	0.72 sq. mtr.	9.5 kg.



Silventa Ceramic Tiles Pvt. Ltd.

Jetpar Road, Near Narmada Canal, Survey No. 464, At. Jasmatgadh, Dist. Morbi. (Guj.) INDIA

> m: +91 99789 40455, +91 90990 10311 e : info@silventaceramic.com w: www.silventaceramic.com