

UNVEIL THE
ENCHANTING
APPEAL

WALL TILES



300x600mm

**GLOSSY
FINISH**

HG SERIES



INTRO DUCING

Welcome to the new world of DIGITAL Ceramic Wall, Floor & Vitrified Tiles from the SILVENTA. The characteristic of any product Tiles is implied by its marvelous craftsmanship and chic visual appeal. At SILVENTA, achieve excellent aesthetic designs in amalgamation with advanced DIGITAL Printing technology. With this advanced technique, CERAMIC Tiles can now be made virtually with any type of photo-quality image or design on a plain or textured surface of your choice.

Moreover, the germ-free technology in this tile lends an eco-friendly aspect to your space. SILVENTA CERAMIC comes with a complete innovative DIGITAL Tiles collection that is MARBLE, ELEVATION, etc. Specially designed & imported from Italy and Spain, to deliver the real zest of Italian marble and elevation stones in India that will be available in the market in sizes 300x600mm, 300x450mm & more.

SILVENTA DIGITAL Tiles are now available on display at any of our business partner exhibit centers.

CHARM
OF DESIGN

OPULENCE



TECHNICAL FEATURES



EASY TO
CLEAN



STAIN
RESISTANT



SCRATCH
RESISTANT



EASY TO
MAINTAIN



UV RESISTANT



WATERPROOF



RESISTANT
TO CHEMICALS



RESISTANT
TO ACIDS



FROST
RESISTANT



ANTI-
BACTERIAL



HEAT
RESISTANT



FIRE
RESISTANT



NON-SLIP



DIMENSIONAL
STABILITY



ECOLOGICAL



3D
EFFECT






HG 3351 LT




HG 3351 HL 1



HG 3351 DK



HG 3351 HL 2




HG 3351 FL

WALL TILE

300x600mm

GLOSSY - FINISH
HG - SERIES

www.silventaceraamic.com



HG 3352 LT



HG 3352 HL 1



HG 3352 DK




HG 3352 HL 2




HG 3352 FL



HG 3353 LT




HG 3353 HL 1



HG 3353 DK



HG 3353 HL 2




HG 3353 FL

WALL TILE

300x600mm

GLOSSY - FINISH
HG - SERIES

www.silventaceraamic.com




HG 3354 LT



HG 3354 HL 1



HG 3354 DK



HG 3354 HL 2



HG 3354 FL




HG 3355 LT



HG 3355 HL 1



HG 3355 DK



HG 3355 HL 2



HG 3355 FL

WALL TILE


300x600mm

GLOSSY - FINISH
HG - SERIES

www.silventaceraamic.com



HG 3356 LT



HG 3356 HL 1



HG 3356 DK



HG 3356 HL 2



HG 3356 FL




HG 3357 LT




HG 3357 HL 1



HG 3357 DK



HG 3357 HL 2




HG 3357 FL

WALL TILE

300x600mm

GLOSSY - FINISH
HG - SERIES

www.silventaceraamic.com



HG 3358 LT



HG 3358 HL 1



HG 3358 DK



HG 3358 HL 2



HG 3358 FL



HG 3359 LT



HG 3359 HL 1



HG 3359 DK



HG 3359 HL 2



HG 3359 FL

WALL TILE


300x600mm

GLOSSY - FINISH
HG - SERIES


www.silventaceraamic.com



HG 3360 LT



HG 3360 HL 1



HG 3360 DK



HG 3360 HL 2



HG 3360 FL



HG 3361 LT



HG 3361 HL 1



HG 3361 DK



HG 3361 HL 2




HG 3361 FL

WALL TILE

300x600mm

GLOSSY - FINISH
HG - SERIES


www.silventaceraamic.com



HG 3362 LT



HG 3362 HL 1



HG 3362 DK



HG 3362 HL 2



HG 3362 FL

TECHNICAL SPECIFICATION

Characteristics	Euro Standards EN - 159 / IS 13753	SILVENTA VALUE
-----------------	---------------------------------------	-------------------

DIMENSION & SURFACE QUALITY

Dimension	± 0.5%	± 0.2%
Deviation in Thickness	± 0.6 mm	± 0.2 mm
Straightness of sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
Surface Flatness	± 0.5%	± 0.3%
Surface Quality	Min. 95%	Min. 96%

PHYSICAL PROPERTIES

Water Absorption	> 10%	13.5%
Bending Strength	> 150 kg/cm ²	200 - 250 kg/cm ²
Scratch hardness (Mohs)	Min. 3	Min. 3
Crazing	1 Cycle	No Crazing at 5 Cycles

CHEMICAL PROPERTIES

Staining Resistance	Min. Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydro Flouric Acid
Household Chemical	Min. Class B	

THERMAL PROPERTIES

Thermal Shock	Resistant to 10 Cycles	CONFORMS
Thermal Expansion	Max. 9E -06	CONFORMS

Our Conformity to the above standard is applicable only for premium quality

PACKING DETAIL

Size	Thickness (Approx.)	Tiles Per Box	Coverage Area Per Box	Wt. of Box (Approx.)
300x600mm	8.7 mm	5 pcs.	0.90 sq. mtr.	14 kg.
300x300mm(Floor)	8 mm	8 pcs.	0.72 sq. mtr.	9.5 kg.



Silventa Ceramic Tiles Pvt. Ltd.

Jetpar Road, Near Narmada Canal, Survey No. 464,
At. Jasmagadh, Dist. Morbi. (Guj.) INDIA

m: +91 99789 40455, +91 90990 10311
e : info@silventaceramic.com
w : www.silventaceramic.com